

SAFETY DATA SHEET

1. Identification

Product identifier	MicroPrime™ G	
Other means of identification		
Document number	SDS-012-ZD Rev. A	
Recommended use	Desensitizer.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Supplier		
Company name	Danville Materials	
Address	2875 Loker Avenue East	
	Carlsbad, CA 92010	
Telephone	1-800-827-7940	
Contact	Customer Service	
E-mail	danvillecs@zestdent.com	
Website	www.zestdent.com	
Emergency telephone number	800-451-8346 / 760-602-8703	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 3
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2

OSHA defined hazards

Label elements



Hazardous to the aquatic environment,

Danger

long-term hazard

Not classified.

Signal word Hazard statement

Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Category 3

Precautionary statement Prevention

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection. Avoid release to the environment.

Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Corrosive to the respiratory tract.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number %	_
Water	7732-18-5 50 - 70	•
Glutaraldehyde	111-30-8 1 - 10	_
Composition comments	The specific chemical identity and/or exact percentage of component(s) have been withheld trade secret. All concentrations are in percent by weight. Components not listed are either non-hazardous below reportable limits.	
4. First-aid measures		
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substanduce artificial respiration with the aid of a pocket mask equipped with a one-way valve or or proper respiratory medical device. If experiencing respiratory symptoms: Call a POISON Cl or doctor/physician.	tanc othe
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physic or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, present and easy to do. Continue rinsing. Call a physician or poison control center immediated and the second sec	
ngestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.	
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash. Causes digestive tract burns. Causes respiratory tract burns.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with wat	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions t protect themselves. Show this safety data sheet to the doctor in attendance. Wash contamin clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	This material will not burn until the water has evaporated. Residue can burn.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for	Prevent product from entering drains.		
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Persons susceptible to allergic reactions should not handle this product. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Keep away from heat. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).		

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values			
Components	Туре	Value	
Glutaraldehyde (CAS 111-30-8)	Ceiling	0.05 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Glutaraldehyde (CAS 111-30-8)	Ceiling	0.8 mg/m3	
		0.2 ppm	
iological limit values	No biological exposure limits noted f	or the ingredient(s).	
ppropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Eye wash facilities and emergency shower must be available when handling this product.		
ndividual protection measures	s, such as personal protective equipm	nent	
Eye/face protection	Wear safety glasses with side shield needed.	s (or goggles) and a face shield. Wear a full-face respirator, if	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Nitrile or butyl rubber gloves are recommended. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves ca be recommended by the glove supplier.		
Skin protection			
Other	Wear appropriate chemical resistant	clothing. Use of an impervious apron is recommended.	
Respiratory protection	limits (where applicable) or to an acc	in airborne concentrations below recommended exposure eptable level (in countries where exposure limits have not irator must be worn. Wear NIOSH approved respirator the point of use.	

Thermal hazards

General hygiene considerations

Wear appropriate thermal protective clothing, when necessary.

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Liquid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Does not flash.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or expl	osive limits	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	> 20.5 mm²/s	
Viscosity temperature	104 °F (40 °C)	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Excessive heat.
Incompatible materials	Strong oxidizing agents. Free radical initiators. Peroxides. Steel.
Hazardous decomposition products	Thermal decomposition of this product can generate carbon monoxide and carbon dioxide.

11. Toxicological information

Information on likely routes of exposure

InhalationToxic if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. respiratory tract burns.Skin contactCauses severe skin burns. May cause an allergic skin reaction.Eye contactCauses serious eye damage.
respiratory tract burns.

Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Harmful if swallowed. Causes digestive tract burns.

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash. Causes digestive tract burns. Causes respiratory tract burns.

Information on toxicological effects

Acute toxicity	Toxic if inhaled. Harmful if swal	owed.
Components	Species	Test Results
Glutaraldehyde (CAS 111-30-8)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
Vapor LC50	Rat	0.96 mg/l, 4 Hours
Aerosol	Nat	0.90 mg/i, 4 mours
LC50	Rat	0.28 mg/l, 4 Hours
Oral		0.20 mg/l, 4 mours
LD50	Rat	154 mg/kg
Skin corrosion/irritation	Causes severe skin burns.	
	Causes severe skin burns. Causes serious eye damage.	
Serious eye damage/eye rritation	Causes schous eye damage.	
Respiratory or skin sensitization	n	
ACGIH sensitization		
GLUTARALDEHYDE, A0 (CAS 111-30-8)	CTIVATED AND INACTIVATED	
		Respiratory sensitization
Respiratory sensitization	May cause allergy or asthma sy	mptoms or breathing difficulties if inhaled.
Skin sensitization	May cause an allergic skin reac	
Germ cell mutagenicity	No data available to indicate pro mutagenic or genotoxic.	oduct or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinoge	nicity to humans.
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
NTP Report on Carcinogens	3	
Not listed. OSHA Specifically Regulate	ed Substances (29 CFR 1910.100)1-1053)
Not regulated.		
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be ha	ırmful.
Further information	Symptoms may be delayed.	
12. Ecological informatior		
Ecotoxicity	Toxic to aquatic life. Harmful to	aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of this product.	
Bioaccumulative potential	·	
Mobility in soil	No data available for this produ	ct.
Other adverse effects		l effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.
MicroPrime™ G		SDS

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditche with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	

14. Transport information

DOT	
UN number	UN2922
UN proper shipping name	Corrosive liquids, toxic, n.o.s. (Glutaraldehyde)
Transport hazard class(es)	
Class	8
Subsidiary risk	6.1(PGIII)
Label(s)	8+6.1
Packing group	III
Environmental hazards	
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
UN number	UN2922
UN proper shipping name	Corrosive liquid, toxic, n.o.s. (Glutaraldehyde)
Transport hazard class(es)	
Class	8
Subsidiary risk	6.1(PGIII)
Label(s)	8+6.1
Packing group	III
Environmental hazards	No
ERG Code	8P
	Read safety instructions, SDS and emergency procedures before handling.
IMDG	
UN number	UN2922
UN proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S. (GLUTARALDEHYDE)
Transport hazard class(es)	
Class	8
Subsidiary risk	6.1(PGIII)
Packing group	III
Environmental hazards	
Marine pollutant	No
EmS	F-A, S-B
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not established.
the IBC Code	
45 Descripter infermention	

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)			
Not regulated. CERCLA Hazardous Substa				
Not listed.				
SARA 304 Emergency released	se notification			
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1053)			
Not regulated.				
-	authorization Act of 1986 (SARA)			
SARA 302 Extremely hazard	lous substance			
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard	Acute toxicity (any route of exposure)			
categories	Skin corrosion or irritation Serious eye damage or eye irritation			
	Respiratory or skin sensitization			
SARA 313 (TRI reporting)				
Not regulated.				
Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List			
Not regulated.				
	112(r) Accidental Release Prevention (40 CFR 68.130)			
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
US. Massachusetts RTK - S	ubstance List			
Glutaraldehyde (CAS 111 US. New Jersey Worker and	-30-8) Community Right-to-Know Act			
Glutaraldehyde (CAS 111	,			
•	nd Community Right-to-Know Law			
Glutaraldehyde (CAS 111 US. Rhode Island RTK	-30-8)			
Glutaraldehyde (CAS 111	-30-8)			
California Proposition 6	5			
is not known to conta	ing Water and Toxic Enforcement Act of 2016 (Proposition 65): This mate ain any chemicals currently listed as carcinogens or reproductive toxins. F to www.P65Warnings.ca.gov.			
US. California. Candida subd. (a))	te Chemicals List. Safer Consumer Products Regulations (Cal. Code	Regs, tit. 22, 69502.3,		
Glutaraldehyde (CAS	S 111-30-8)			
International Inventories				
Country(s) or region	Inventory name	On inventory (yes/no)*		
Australia	Australian Inventory of Chemical Substances (AICS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical	Yes		
Laiopo		165		

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).		

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	21-February-2018
Revision date	-
Version #	01
NFPA ratings	3 0

Disclaimer

Danville Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.