# **ZEST DENTAL**

### SAFETY DATA SHEET

#### 1. Identification

**Product identifier** Aluminum Oxide 27µm 50µm 90µm

Other means of identification

**Document number** SDS-014-ZD REV A

Recommended use Abrasive. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company name **Danville Materials** 

**Address** 2875 Loker Avenue East

Carlsbad, CA 92010

1-800-827-7940 **Telephone** Contact **Customer Service** 

E-mail danvillecs@zestdent.com

www.zestdent.com Website

**Emergency telephone** 

800-451-8346 / 760-602-8703

number

#### 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Carcinogenicity (inhalation) Category 2

**OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Suspected of causing cancer by inhalation.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust. Wear protective gloves/protective clothing/eye

protection/face protection.

If exposed or concerned: Get medical advice/attention. Response

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

#### 3. Composition/information on ingredients

#### **Mixtures**

CAS number	
1344-28-1	95 - < 99
7631-86-9	< 5
13463-67-7	< 5

Aluminum Oxide 27µm 50µm 90µm 1/7 943990 Version #: 01 Revision date: -Issue date: 12-June-2018

**Composition comments** 

All concentrations are in percent by weight.

#### 4. First-aid measures

Inhalation

In case of inhalation of dust: Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists. Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Eye contact Ingestion

Rinse mouth. Get medical attention if symptoms occur.

Most important

Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure to dust may cause

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

If exposed or concerned: get medical attention/advice. Ensure that medical personnel are aware of

#### 5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

the material(s) involved, and take precautions to protect themselves.

Unsuitable extinguishing media

No restrictions known.

chronic effects.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Product is nonflammable and does not support combustion.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store in a dry place. Avoid contact with water and moisture. This product is hygroscopic. Store away from incompatible materials (see Section 10 of the SDS).

SDS US 2/7 943990 Version #: 01 Revision date: -Issue date: 12-June-2018

## 8. Exposure controls/personal protection

## Occupational exposure limits

	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CF Components	R 1910.1000) Type	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Silicon dioxide (CAS 7631-86-9)	TWA	0.8 mg/m3	
·		20 mppcf	
Titanium dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Components	: Values Type	Value	Form
Aluminum oxide (CAS	TWA	1 mg/m3	Respirable fraction.
1344-28-1) Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide to			
Components	Type	Value	
Components Silicon dioxide (CAS 7631-86-9)	<b>Type</b> TWA	Value 6 mg/m3	
		6 mg/m3	
Silicon dioxide (CAS 7631-86-9)	TWA	6 mg/m3  the ingredient(s).  ed. Ventilation rates should by the exposure limits. If exposure limits if exposure limits if exposure level. If enging for dust particulates below the comust be worn. If material is gruse appropriate local exhaust	er engineering controls to bosure limits have not been beering measures are not Occupational Exposure Limit ound, cut, or used in any
Silicon dioxide (CAS 7631-86-9) logical limit values propriate engineering trols	TWA  No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recome established, maintain airborne levels to sufficient to maintain concentrations of (OEL), suitable respiratory protection operation which may generate dusts,	6 mg/m3  The ingredient(s).  ed. Ventilation rates should be call exhaust ventilation, or other mended exposure limits. If exposure an acceptable level. If enging fust particulates below the comust be worn. If material is gruse appropriate local exhaust lits.	er engineering controls to posure limits have not been peering measures are not Occupational Exposure Limit ound, cut, or used in any ventilation to keep exposure
Silicon dioxide (CAS 7631-86-9) logical limit values propriate engineering trols  vidual protection measures Eye/face protection	TWA  No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recommens tablished, maintain airborne levels to sufficient to maintain concentrations o (OEL), suitable respiratory protection operation which may generate dusts, below the recommended exposure limits, such as personal protective equipments.	6 mg/m3  The ingredient(s).  ed. Ventilation rates should be call exhaust ventilation, or other mended exposure limits. If exposure an acceptable level. If enging fust particulates below the comust be worn. If material is gruse appropriate local exhaust lits.	er engineering controls to posure limits have not been peering measures are not Occupational Exposure Limit ound, cut, or used in any ventilation to keep exposure
Silicon dioxide (CAS 7631-86-9) logical limit values propriate engineering trols	TWA  No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recommens tablished, maintain airborne levels to sufficient to maintain concentrations o (OEL), suitable respiratory protection operation which may generate dusts, below the recommended exposure limits, such as personal protective equipments.	6 mg/m3  The ingredient(s).  ed. Ventilation rates should be a callowed exposure limits. If exposure limits are considered exposure limits. If exposure limits are considered exposure limits are considered exposure limits.  If the ingredient(s).  If exposure limits are considered exposure appropriate local exhaust lits.  If the ingredient(s).	er engineering controls to posure limits have not been beering measures are not occupational Exposure Limit ound, cut, or used in any ventilation to keep exposure respirator, if needed.
Silicon dioxide (CAS 7631-86-9) logical limit values propriate engineering trols  vidual protection measures Eye/face protection  Skin protection	TWA  No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recommens tablished, maintain airborne levels to sufficient to maintain concentrations of (OEL), suitable respiratory protection operation which may generate dusts, below the recommended exposure limits, such as personal protective equipments.  Wear safety glasses with side shields	6 mg/m3  The ingredient(s).  ed. Ventilation rates should be local exhaust ventilation, or other mended exposure limits. If exposure limits. If exposure limits are considered and acceptable level. If enging for dust particulates below the commust be worn. If material is grause appropriate local exhaust lits.  ent  (or goggles). Wear a full-face lloves. Suitable gloves can be	er engineering controls to bosure limits have not been beering measures are not occupational Exposure Limitound, cut, or used in any ventilation to keep exposure respirator, if needed.
Silicon dioxide (CAS 7631-86-9) logical limit values propriate engineering trols  vidual protection measures Eye/face protection  Skin protection  Hand protection  Skin protection	TWA  No biological exposure limits noted for Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recommestablished, maintain airborne levels to sufficient to maintain concentrations of (OEL), suitable respiratory protection operation which may generate dusts, below the recommended exposure limits, such as personal protective equipmes.  Wear safety glasses with side shields  Wear appropriate chemical resistant groupplier.	6 mg/m3  The ingredient(s).  ed. Ventilation rates should by the call exhaust ventilation, or other mended exposure limits. If exposure limits. If exposure limits and long pants) is recommended exposure limits.  In the ingredient(s).  In the ingredient	er engineering controls to posure limits have not been beering measures are not occupational Exposure Limitound, cut, or used in any ventilation to keep exposure respirator, if needed.  The recommended by the glove mended.  The recommended exposure re exposure limits have not been are not been and the recommended exposure re exposure limits have not been are exposure.

Aluminum Oxide 27µm 50µm 90µm

SDS US

943990 Version #: 01 Revision date: - Issue date: 12-June-2018

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

Physical state Solid. Solid. **Form** 

Color White, Brown. Odor Not available. **Odor threshold** Not available. рΗ Not applicable. Melting point/freezing point Not available. Initial boiling point and boiling Not applicable.

range

Not applicable. Flash point Not applicable. **Evaporation rate** 

Flammability (solid, gas) Product is nonflammable and does not support combustion.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not applicable. Explosive limit - upper (%) Not applicable. Vapor pressure Not applicable. Vapor density Not applicable. Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not applicable. **Decomposition temperature** Not available. Not applicable. **Viscosity** 

Other information

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. Percent volatile Not applicable.

#### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Avoid contact with water and moisture. The product is Conditions to avoid

hygroscopic and will absorb water by contact with the moisture in the air. Avoid dust formation.

Incompatible materials Acids. Chlorine. Fluorine.

Hazardous decomposition

products

Decomposition is not expected under normal conditions of use and storage.

#### 11. Toxicological information

#### Information on likely routes of exposure

Suspected of causing cancer by inhalation. Dust may irritate respiratory system. Prolonged Inhalation

inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

SDS US 4/7 943990 Version #: 01 Revision date: -Issue date: 12-June-2018

**Ingestion** May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure to dust may cause

chronic effects.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Silicon dioxide (CAS 7631-86-9)

<u>Acute</u>

Dermal

LD50 Rabbit > 5000 mg/kg, 24 Hours

Inhalation

Dust

LC50 Rat > 0.14 mg/l, 4 Hours

Oral

LD50 Rat > 3300 mg/kg

Titanium dioxide (CAS 13463-67-7)

**Acute** 

Inhalation

LC50 Rat 3.43 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation**Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye**Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Suspected of causing cancer by inhalation.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous.

Persistence and degradability The product solely consists of inorganic compounds which are not biodegradable.

Bioaccumulative potential No data available on bioaccumulation.

Mobility in soil No data available for this product.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

 Aluminum Oxide 27μm 50μm 90μm
 SDS US

 943990 Version #: 01 Revision date: - Issue date: 12-June-2018
 5 / 7

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

the IBC Code

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard

categories

Carcinogenicity

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Aluminum oxide
 1344-28-1
 95 - < 99</td>

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

**US state regulations** 

**US. Massachusetts RTK - Substance List** 

Aluminum oxide (CAS 1344-28-1) Silicon dioxide (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

Aluminum Oxide 27µm 50µm 90µm 943990 Version #: 01 Revision date: - Issue date: 12-June-2018

#### US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1) Silicon dioxide (CAS 7631-86-9)

Titanium dioxide (CAS 13463-67-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1) Silicon dioxide (CAS 7631-86-9) Titanium dioxide (CAS 13463-67-7)

#### **US. Rhode Island RTK**

Aluminum oxide (CAS 1344-28-1) Titanium dioxide (CAS 13463-67-7)

#### **California Proposition 65**



**WARNING:** This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

# California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Titanium dioxide (CAS 13463-67-7) Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Titanium dioxide (CAS 13463-67-7)

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

KoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

TaiwanTaiwan Chemical Substance Inventory (TCSI)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

#### 16. Other information, including date of preparation or last revision

Issue date 12-June-2018

Revision date - 01

NFPA ratings



#### Disclaimer

Danville Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

943990 Version #: 01 Revision date: - Issue date: 12-June-2018

On inventory (yes/no)\*

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).