according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015 Page 1 of 7

S-Bond™

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: S-Bond™

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: 89105-00

Recommended uses of the product and restrictions on use: Primer for porcelain and ceramic restorations.

Manufacturer Details:

Danville Materials 3420 Fostoria Way Suite a200 San Ramon, CA 94583

Emergency telephone number:

Chemtrec 1-800-424-9300

SECTION 2: Hazards identification

Classification of the substance or mixture:



Irritant

Skin irritation, category 2 Eye irritation, category 2A



Flammable

Flammable liquids, category 2

Skin Irritation - Category 2. Eye Irritation - Category 2. Flammable Liquid - Category 2.

Signal word: Danger

Hazard statements:

Highly flammable liquid and vapor. Causes skin irritation.

Causes serious eye irritation.

Precautionary statements:

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use. Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Contaminated work clothing should not be allowed out of the workplace.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash skin thoroughly after handling.

Avoid breathing dust/fume/gas/mist/vapors/spray. If eye irritation persists get medical advice/attention.

Eliminate all ignition sources if safe to do so.

IF ON SKIN (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use agents recommended in section 5 for extinction.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation or a rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.


Created by Global Safety Management, 1-813-435-5161 - www.GSMSDS.com

Effective date: 06.01.2015 Page 2 of 7

S-Bond™

Continue rinsing. Store in a well ventilated place. Keep cool. Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification:



SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 64-17-5	Ethyl alcohol	94 %		
		Percentages are by weight		

SECTION 4 : First aid measures

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear. Vapors in high concentrations cause dizziness effects and sickness.

After skin contact: Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

After eye contact: Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person. Ingestion can cause sickness and drunkenness. Seek medical attention if a substantial amount has been ingested. Large amounts of swallowed solution may cause unconsciousness.

Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath. Dizziness. Repeated exposure may cause skin dryness or cracking.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015 Page 3 of 7

S-Bond™

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5 : Firefighting measures

Extinguishing media

Suitable extinguishing agents: Dry chemical powder, foam or carbon dioxide.

For safety reasons unsuitable extinguishing agents: None identified. Water spray or jet may prove ineffective and/or may cause fire to spread.

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Dangerous fire hazard when exposed to heat, sparks and open flames.

Advice for firefighters:

Protective equipment: Wear protective eyeware, gloves, and clothing. Refer to Section 8. Use NIOSH-approved respiratory protection/breathing apparatus. Use spark-proof tools and explosion-proof equipment.

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols.

SECTION 6 : Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Always obey local regulations. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal. Dam spill and collect with sand, silicagel or other absorbent non-flammable material and place in suitable waste containers. Ventilate area of leak or spill.

Reference to other sections:

None

SECTION 7 : Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances. Take precautions against static discharge.

Conditions for safe storage, including any incompatibilities:

The shelf life is 2 years. Store at room temperature (23°C; 74°F). Cap tightly to prevent loss of volatile components. Refrigerated storage will extend the shelf life. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Avoid storage near extreme heat, ignition sources or open flame.

SECTION 8 : Exposure controls/personal protection





according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015 Page 4 of 7

S-Bond™

Control Parameters: 64-17-5, Ethanol, ACGIH TLV: 1000 ppm STEL.

64-17-5, Ethanol, NIOSH: 3300 ppm IDLH (10% LEL).

64-17-5, Ethanol, OSHA PEL: 1000 ppm TWA; 1900 mg/m3 TWA.

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

Eye protection: Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

SECTION 9 : Physical and chemical properties

Appearance (physical state,color):	Colorless liquid	Explosion limit lower: Explosion limit upper:	3.4% 15.0%
Odor:	Characteristical alcoholic	Vapor pressure:	60 mbar
Odor threshold:	Not Determined	Vapor density:	Not Determined
pH-value:	3.0	Relative density:	Not Determined
Melting/Freezing point:	-114° C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	78°C	Partition coefficient (noctanol/water):	Not Determined
Flash point (closed cup):	12° C	Auto/Self-ignition temperature:	Not Determined
Evaporation rate:	Not Determined - Expected to evaporate quickly	Decomposition temperature:	Not Determined
Flammability (solid,gaseous):	Highly flammable	Viscosity:	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density: 0.8 g/cm3			

SECTION 10 : Stability and reactivity

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015 Page 5 of 7

S-Bond™

Reactivity: Nonreactive under normal conditions. **Chemical stability:** Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Incompatible materials. Keep away from heat/sparks/open flames/hot surfaces. – No

smoking. Heat in excess of 40°C, direct sunlight or intense light.

Incompatible materials: Strong acids, bases, and oxidizing agents. Peroxides, metal powders, free radical

initiators.

Hazardous decomposition products: Thermal decomposition or burning may produce carbon monoxide, carbon dioxide, hydrogen, and irritating gases.

SECTION 11 : Toxicological information

Acute Toxicity:				
Inhalation:	64-17-5	LC50 Rat 124.7 mg/L 4 h (Source: OECD_SIDS)		
Oral:	64-17-5	LD50 Rat 7060 mg/kg (Source: NLM_CIP)		
Chronic Toxicity: No additional information.				
Corrosion Irritation: No additional information.				
Sensitization:		No additional information.		
Single Target Organ (STOT):		No additional information.		
Numerical Measures:		No additional information.		
Carcinogenicity:		No additional information.		
Mutagenicity:		No additional information.		
Reproductive Toxicity:		No additional information.		

SECTION 12: Ecological information

Ecotoxicity

64-17-5: 96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L

[static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]

64-17-5: 48 Hr LC50 Eisenia foetida: 0.1 - 1 mg/cm2 [filter paper]

Persistence and degradability: Not determined. Bioaccumulative potential: Not determined.

Mobility in soil: Not determined.

Other adverse effects: None identified.

SECTION 13 : Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste

Effective date: 06.01.2015 Page 6 of 7

S-Bond™

regulations. Ensure complete and accurate classification.

SECTION 14 : Transport information

UN-Number

1170

UN proper shipping name

Ethanol Mixture

Transport hazard class(es)



Class:

3 Flammable liquids

Packing group: II

Environmental hazard: None

Transport in bulk:

Special precautions for user: None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Fire

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients are listed.

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 06.01.2015 Page 7 of 7

S-Bond™

Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

GHS Full Text Phrases:

None

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

Effective date: 06.01.2015 **Last updated**: 06.12.2015